

# CARE LOCKING

## DHS/DCS INSTRUMENT SET

**CARE DHS/DCS**



Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

1546

DHS Guide wire with Thread



1547

DHS Angle Guide 135°



1548

Wrench for DHS Screw



1549

DHS Triple Reamer - Standard



1550

Impactor



1550A

Nylon Face



1551

TAP For DHS Screw



1552

Centering Sleeve for TAP



1553

Centering Sleeve for Wrench



1554

Quick Coupling Handle




Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

1555

**Reverse Measuring Guage**



1556

**Coupling Screw for Inserting DHS Screw**



1557

**Guide Shaft for Coupling Screw**



1558

**Coupling Screw for Removal**



1559

**DCS Triple Reamer**



1560

**DCS Angle Guide**



1561

**Stylet**



1562

**DHS Triple Reamer-Short Barrel**



1566

**Angle Guide Adjustable**



Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

1548A

**Coupling Screw with T-Handle  
for One Step Insertion**



1045

**Large Depth Gauge**



1014

**Drill Bit (Quick Coupling) Dia 3.2mm**



1027

**TAPS T-End Dia 4.5mm**



1048

**Large Neutral Load Drill Guide**



1066

**Drill Sleeve 3.2mm/Tap Sleeve  
4.5mm**



1067

**Drill Sleeve 3.2mm/Tap  
Sleeve 6.5mm**



1029

**TAPS T-End Dia 6.5mm (Cancellous)**



1055

**Hexagonal Screw Driver Tip 3.5mm**



Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.



## CARE DHS/DCS INSTRUMENT SET



Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.

## CARE DHS/DCS INSTRUMENT SET

Ref. No.	Description
<b>3004A</b>	<b>SET FOR DYNAMIC HIP SCREW – DHS/DCS</b>
	<b>CONTENTS:-</b>
<b>1546</b>	DHS GUIDE WIRE WITH THREAD
<b>1547</b>	DHS ANGLE GUIDE – 135°
<b>1548</b>	WRENCH FOR DHS SCREW
<b>1549</b>	DHS TRIPPLE REAMER – STANDARD
<b>1550</b>	IMPACTOR
<b>1550A</b>	NYLON FACE
<b>1551</b>	TAP FOR DHS SCREW
<b>1552</b>	CENTERING SLEEVE FOR TAP
<b>1553</b>	CENTERING SLEEVE FOR WRENCH
<b>1554</b>	QUICK COUPLING HANDLE
<b>1555</b>	REVERSE MEASURING GAUGE
<b>1556</b>	COUPLING SCREW FOR INSERTING DHS SCREW
<b>1557</b>	GUIDE SHAFT FOR COUPLING SCREW
<b>1558</b>	COUPLING SCREW FOR REMOVAL
<b>1559</b>	DCS TRIPLE REAMER
<b>1560</b>	DCS ANGLE GUIDE
<b>1561</b>	STYLET
<b>1562</b>	DHS TRIPPLE REAMER – SHORT BARREL
<b>1566</b>	ANGLE GUIDE ADJUSTABLE
<b>1548A</b>	COUPLING SCREW WITH T-HANDLE FOR 1 STEP INSERTION
<b>1045</b>	LARGE DEPTH GAUGE
<b>1014</b>	DRILL BIT [QUICK COUPLING] Dia - 3.2mm
<b>1027</b>	TAPS [T - END] Dia - 4.5mm
<b>1048</b>	LARGE NEUTRAL LOAD DRILL GUIDE
<b>1066</b>	DRILL SLEEVE 3.2mm/ TAP SLEEVE 4.5mm
<b>1067</b>	DRILL SLEEVE 3.2mm/ TAP SLEEVE 6.5mm
<b>1029</b>	TAPS [T - END] Dia - 6.5mm (CANCELLOUS)
<b>1055</b>	HEXAGONAL SCREW DRIVER TIP - 3.5mm

Specifications, size, shape subject to change without notice.  
Picture shape if similar to any other manufacturers is just a co-incident.